

# GOLIATH®

STRENGTH WITH STYLE AND PROTECTION



PART	LENS	PART	LENS
SB5610D**	Clear	SB5670D*	Silver Mirror
SB5610DT**	Clear (Anti-Fog)	SB5680D*	Indoor/Outdoor Mirror
SB5620D***	Gray	SW5620D*	Gray
SB5620DT**	Gray (Anti-Fog)	SW5645D*	Ice Orange Mirror
SB5621D***	Gray Polarized	SW5655D*	Sky Red Mirror
SB5645D**	Ice Orange Mirror	SW5665D*	Ice Blue Mirror
SB5665D***	Ice Blue Mirror	SW5670D*	Silver Mirror

- Comfort-fit, rubber temples prevent eyewear from slipping to provide maximum performance.
- Polycarbonate lens provides unrestricted vision, provides protection against 99.9% of harmful UV rays.
- Sporty dual lens style with wide temples provides full eye and is suitable for both working environments and sport activities.

## GENERAL SPECIFICATION















Bridge: 13.8mm
Closest Point Between Lens: 18mm
Closest Point Between Temple Tips: 96.5mm
Lens Base: 8 Curve
Lens Size Diagonal: 62.6mm
Lens Size Vertical: 37.6mm
Lens Thickness: 2.3mm
Overall Length (Lens-Tip): 163.5mm
Overall Width (Hinge-Hinge): 131mm
PD: 68mm
Weight: 35gm

# GOLIATH®

STRENGTH WITH STYLE AND PROTECTION

PACKAGING
Polybag: 1pc
Inner Box: 12 pcs
Case: 300 pcs

COMPONENT	MATERIAL	FEATURES
Hinge	Polycarbonate	3 barrel type, integral to frame/temple
Lens	Polycarbonate	Full round protection, 8 curve
Temple	Polycarbonate + TPR	Spatula, co-material
Side Shields	Polycarbonate	Wide temples replace the S.S function
Screw	Stainless Steel	Standard hinge screw

PART	LENS	LENS MARKING	FRAME MARKING
SB5610D	 Clear	P Z87 + U6	P Z87 +
SB5610DT	 Clear (Anti-Fog)	P Z87 + U6	P Z87 +
SB5620D	 Gray	P Z87 + U6 L2.5	P Z87 + / P c SEI CAN/CSA Z94.3-07
SB5620DT	 Gray (Anti-Fog)	P Z87 + U6 L2.5	P Z87 +
SB5621D	 Gray Polarized	P Z87 + S	P Z87 + / P c SEI CAN/CSA Z94.3-07
SB5645D	 Ice Orange Mirror	P Z87 + S	P Z87 + / P c SEI CAN/CSA Z94.3-07
SB5665D	 Ice Blue Mirror	P Z87 + S	P Z87 + / P c SEI CAN/CSA Z94.3-07
SB5670D	 Silver Mirror	P Z87 + S	P Z87 +
SB5680D	 Indoor/Outdoor Mirror	P Z87 + U6 L1.7	P Z87 +
SW5620D	 Gray	P Z87 + U6	P Z87 +
SW5645D	 Ice Orange Mirror	P Z87 + S	P Z87 +
SW5655D	 Sky Red Mirror	P Z87 + S	P Z87 +
SW5665D	 Ice Blue Mirror	P Z87 + S	P Z87 +
SW5670D	 Silver Mirror	P Z87 + S	P Z87 +

## LENS MARKING

### Symbols:

P: Manufacturer's mark  
 Z87: ANSI standard for Eye and Face protection devices  
 +: High Impact  
 H: Small Head Size  
 S: Special Purpose

### UV Filter Transmittance:

U2: Max Effective Far UV= .1% / Max Near UV= 3.7%  
 U2.5: Max Effective Far UV= .1% / Max Near UV= 2.3%  
 U3: Max Effective Far UV= .07% / Max Near UV= 1.4%  
 U4: Max Effective Far UV= .04% / Max Near UV= .5%  
 U5: Max Effective Far UV= .02% / Max Near UV= .2%  
 U6: Max Effective Far UV= .01% / Max Near UV= .1%

### Visible Light Filters:

L1.3: 85% Max. Visible Light  
 L1.7: 55% Max. Visible Light  
 L2.5: 29% Max. Visible Light  
 L3: 18% Max. Visible Light

## FRAME MARKING

### Symbols:

P: Manufacturer's mark  
 Z87: ANSI standard for Eye and Face protection devices  
 +: High Impact  
 P c SEI CAN/CSA Z94.3-07: CAN/CSA for protection devices